

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,266	08/21/2003	Patrick E. Godici	37,335	7346
BP America Inc	7590 05/23/200°	EXAMINER		
Docket Clerk, BP Legal			GOLOBOY, JAMES C	
M.C. 5East 4101 Winfield	Road		ART UNIT	PAPER NUMBER
Warrenville, IL	, 60555		1714	
			·	
			MAIL DATE	DELIVERY MODE
			05/23/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			+12			
		Application No.	Applicant(s)			
Office Action Summary		10/645,266	GODICI ET AL.			
		Examiner	Art Unit			
		James Goloboy	1714			
Period fo	The MAILING DATE of this communication apports or Reply	oears on the cover sheet v	vith the correspondence address			
WHIC - Exte after - If NO - Failt Any	CHEVER IS LONGER, FROM THE MAILING Densions of time may be available under the provisions of 37 CFR 1.1 r SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period ure to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUN 36(a). In no event, however, may a will apply and will expire SIX (6) MO e, cause the application to become A	ICATION. reply be timely filed  NTHS from the mailing date of this communication ABANDONED (35 U.S.C. § 133).			
Status			·			
1)🖂	Responsive to communication(s) filed on 3/12	/07. ·				
2a)⊠	This action is FINAL. 2b) This	action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.	D. 11, 453 O.G. 213.			
Disposit	tion of Claims		•			
4)⊠	Claim(s) <u>1,3-6,8-11 and 13-20</u> is/are pending i	in the application.				
,	4a) Of the above claim(s) is/are withdraw	. ,				
5)[	Claim(s) is/are allowed.					
6)⊠	Claim(s) <u>1,3-5,8-10,13-16,18 and 19</u> is/are rej	ected.				
7)🖂	Claim(s) 6,11,17 and 20 is/are objected to.					
8)[	Claim(s) are subject to restriction and/o	or election requirement.				
Applicat	tion Papers					
9)[	The specification is objected to by the Examine	er.				
· · · · · · · · · · · · · · · · · · ·	The drawing(s) filed on is/are: a) acc		by the Examiner.			
,	Applicant may not request that any objection to the					
	Replacement drawing sheet(s) including the correct	•		I <b>).</b>		
11)	The oath or declaration is objected to by the Ex	xaminer. Note the attache	d Office Action or form PTO-152.			
Priority (	under 35 U.S.C. § 119					
	Acknowledgment is made of a claim for foreign DI All b) Some * c) None of:	priority under 35 U.S.C.	§ 119(a)-(d) or (f).			
	1. Certified copies of the priority document	s have been received.				
	2. Certified copies of the priority document	s have been received in A	Application No			
	3. Copies of the certified copies of the prio	rity documents have beer	received in this National Stage			
	application from the International Bureau	•		•		
* (	See the attached detailed Office action for a list	of the certified copies no	received.			
Attachmer				:		
	ce of References Cited (PTO-892)		Summary (PTO-413) (s)/Mail Date			
	ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO/SB/08)		Informal Patent Application			
	er No(s)/Mail Date	6) 🔲 Other:	·			

#### **DETAILED ACTION**

1. Please note the new examiner of record.

### Claim Rejections - 35 USC § 103

2. Claims 1, 3-5, 8-10, 13-16, and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (U.S. Pat. No. 5,856,280) in view of WO 02/053687 and the evidence disclosed in Meskers (U.S. Pat. No 6,348,440).

The rationale for this rejection is adequately set forth in paragraph 2 of the office action mailed 12/14/06.

## Allowable Subject Matter

3. Claims 6, 11, 17, and 20 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The Examples in Table 3 on page 11 of the specification show that there is an unexpected synergistic effect between DITMPA and tolutriazole when the additives are used in certain concentrations, compared to compositions comprising other prior art copper passivators, or compared to compositions comprising no DITMPA, which is not taught in the prior art as having copper passivating properties.

### Response to Arguments

Application/Control Number: 10/645,266

Art Unit: 1714

Applicant argues that it would not have been obvious to replace the sulfur-containing additive of Kim with the DITMPA additive of Meskers. However, that is not what is set forth in the rejection. Rather, the DITMPA of Meskers is added in addition to the sulfur-containing additive of Kim, in order to provide the benefits taught by Meskers. It is noted that Kim, in column 4 lines 53-56, teaches that additional additives, such as the DITMPA of Meskers, can be added to the composition.

Applicant also argues that the DITMPA and tolutriazole display an unexpected synergistic effect in reducing copper loss. The examiner agrees with this argument as it relates to claims 6, 11, 17, and 20, as discussed in paragraph 3 above. However, the results shown in Table 3 are not commensurate with the scope of the remaining claims, which recite broader concentration ranges of tolutriazole and DITMPA. It is noted that comparisons between Example 2 and Example 3, or Example 8 and Example 9 (at 425° F) in Table 3 actually show an increase in copper weight loss when the concentration of tolutriazole or DITMPA is increased. Therefore, there is no indication that the combination of tolutriazole and DITMPA continues to show unexpected results within the broader ranges of claims 1, 3-5, 8-10, 13-16, and 18-19.

### Conclusion

4. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Application/Control Number: 10/645,266

Art Unit: 1714

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Goloboy whose telephone number is 571-272-2476. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on 571-272-1119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/645,266

**Art Unit: 1714** 

Janus C. Colobay

Page 5

VASU JAGANNATHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700